

Fig.1




Fig.2




Fig.3




Fig.4

M

| | |
|---------|---|
| header | To : xxx@xxx.xxx (specify mail address of home server) From : yyy@yyy.yyy Subject : ZZZ - normal mail header is followed - |
| message | "mail address of final destination", "transfer trigger condition" expiration date "2000/05/12,10:50", "transfer" notice of transfer "Yes" - normal message is followed - <corresponding attached documents such as voice and image> |

Fig.5a

Example of mail address of final destination

| example of address | explanation |
|-----------------------|--|
| 090xxxxxxxx@xxx.ne.jp | in case of mobile phone |
| telephone | Telephone in house is called and voice of attached document is reproduced after receiver is lifted. / Message of text is read aloud. It requires means for extension calling out telephone in house and text read aloud means are additionally required in home server. |
| TV | TV is automatically turned on, switched to open channel or external video input, attached image is displayed. Image reproduction means is additionally required in home server. |

Fig.5b

Example of transfer trigger condition

equipment 1 / event 1 and/or equipment 2 / event 2 ...

| equipment | event | explanation |
|--------------|-----------------|--|
| entrance key | open | transferring E-mail when entrance key is opened |
| | lock | transferring E-mail when entrance key is locked |
| sensor | detect | transferring E-mail when sensor is detected |
| | over threshold | transferring E-mail when the supervised value is over given value |
| | under threshold | transferring E-mail when the supervised value is under given value |
| TV | ON | transferring E-mail is when TV is turned on |
| | OFF | transferring E-mail when TV is turned off |
| (/) | - | keyword coordinating equipment and event |
| (and) | - | used for transferring E-mail when plural events are simultaneously occurred |
| (or) | - | used for transferring E-mail when any one of events is simultaneously occurred |

Fig.6a

Example of transfer trigger condition (destination)

place / kinds of shop / latitude longitude information

| | | |
|--------------------------------|--|---------------------------------|
| place | ○○ station × × hospital | in case of specifying one place |
| kinds of shop | patisserie toyshop convenience store | in case of not specifying shop |
| latitude/longitude information | east longitude north latitude | specifying absolute position |

Fig.6b

| | | |
|------------|--|---|
| From: | XXX@XXX.XXX | |
| To: | YYY@YYY.YYY | |
| equipment: | entrance key | ▲ |
| | TV | |
| | sensor | ▼ |
| event: | ON | ▲ |
| | OFF | |
| | change channel | ▼ |
| message: | Are you fine? I'm fine. See you next time. Bye. | |

Fig.7




Fig.8




Fig.9